

## Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

  

<b>Term:</b>	l15 and L18	▲	▼
--------------	-------------	---	---

  

<b>Display:</b>	<input type="text" value="15"/>	<b>Documents in Display Format:</b>	<input type="text" value="-"/>	<b>Starting with Number</b>	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	--------------------------------	-----------------------------	--------------------------------

  

**Generate:** ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

---

Search

Clear

Interrupt

---

### Search History

---

**DATE:** Sunday, December 19, 2004    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	l15 and L18	5	<u>L19</u>
<u>L18</u>	20010039610 or (6243793 or 6065102 or 5913227).pn.	8	<u>L18</u>
<u>L17</u>	l15 with behlf	0	<u>L17</u>
<u>L16</u>	l1 and L15	2	<u>L16</u>
<u>L15</u>	master with slave with l8	430	<u>L15</u>
<u>L14</u>	l1 and L13	3	<u>L14</u>
<u>L13</u>	l8 and l11 and L12	583	<u>L13</u>
<u>L12</u>	master near1 processor	3662	<u>L12</u>
<u>L11</u>	multi\$1process\$5	40634	<u>L11</u>
<u>L10</u>	l1 and L9	12	<u>L10</u>
<u>L9</u>	l7 and L8	1800	<u>L9</u>
<u>L8</u>	(common or shar\$5) near5 (storage or memory)	89592	<u>L8</u>
<u>L7</u>	(master or central or global or relay) near5 L6	14390	<u>L7</u>
<u>L6</u>	node	317036	<u>L6</u>
<u>L5</u>	(arbiter\$7 or select\$5 or multiplexer or mux) and l1 and l3	4	<u>L5</u>

<u>L4</u>	l2 and L3	0	<u>L4</u>
<u>L3</u>	(cpu or (central adj processing adj unit) or microprocessor or microcontroller) with behalf	363	<u>L3</u>
<u>L2</u>	(arbiter\$7 or select\$5 or multiplexer or mux) same L1	147	<u>L2</u>
<u>L1</u>	single near2 bus near2 address	548	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L7 same L18	25

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L19



Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Sunday, December 19, 2004    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=NO; OP=ADJ</i>		
<u>L19</u>	17 same L18	25	<u>L19</u>
<u>L18</u>	115 with (processor or node)	2407	<u>L18</u>
<u>L17</u>	12 and L16	9	<u>L17</u>
<u>L16</u>	17 same L15	92	<u>L16</u>
<u>L15</u>	(rerouting or re-routing or re-directing or redirecting or directing or routing) with (access\$4 or request\$2 or transaction\$2 or command\$2)	15692	<u>L15</u>
<u>L14</u>	12 and L13	168	<u>L14</u>
<u>L13</u>	11 and L12	486	<u>L13</u>
<u>L12</u>	(re\$1rout\$4 or re\$1direct\$5 or direct\$5 or rout\$5) with (access\$4 or request\$2 or transaction\$2 or command\$2)	156974	<u>L12</u>
<u>L11</u>	(re\$1rout\$4 or re\$1direct\$5 or direct\$5 or rout\$5) with (access\$4 or request\$2 or transaction\$2 or command\$2) with ((another or other) near1 processor)	0	<u>L11</u>

<u>L10</u>	(re\$1rout\$4 or re\$1direct\$5) with (access\$4 or request\$2 or transcation\$2 or command\$2) with ((another or other) near1 processor)	0	<u>L10</u>
<u>L9</u>	re\$1direct\$5 with (access\$4 or request\$2 or transcation\$2 or command\$2) with ((another or other) near1 processor)	0	<u>L9</u>
<u>L8</u>	l4 same l6 same L7	53	<u>L8</u>
<u>L7</u>	((shar\$5 or common) near1 (storage or memory))	16006	<u>L7</u>
<u>L6</u>	processors with (coupl\$5 or connect\$5)	16479	<u>L6</u>
<u>L5</u>	L4 with ((shar\$5 or common) near1 (storage or memory))	221	<u>L5</u>
<u>L4</u>	(single or one) near2 (link\$4 or bus)	101305	<u>L4</u>
<u>L3</u>	l1 same L2	14	<u>L3</u>
<u>L2</u>	address adj bus	24993	<u>L2</u>
<u>L1</u>	processors with (coupl\$5 or connect\$5) with ((shar\$5 or common) near1 (storage or memory))	730	<u>L1</u>

END OF SEARCH HISTORY

## Freeform Search

---

<b>Database:</b>	<div style="border: 1px solid black; padding: 2px;">         US Pre-Grant Publication Full-Text Database          US Patents Full-Text Database          US OCR Full-Text Database          EPO Abstracts Database          JPO Abstracts Database          Derwent World Patents Index          IBM Technical Disclosure Bulletins       </div>
<b>Term:</b>	<div style="border: 1px solid black; padding: 2px;">         L8 not 17       </div>
<b>Display:</b>	<div style="border: 1px solid black; padding: 2px;">         15 Documents in <b>Display Format:</b> <div style="border: 1px solid black; padding: 2px;">-</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div> </div>
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

---

Search

Clear

Interrupt

---

### Search History

---

DATE: Sunday, December 19, 2004   [Printable Copy](#)   [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L9</u>	L8 not 17	7	<u>L9</u>
<u>L8</u>	15 and 11	9	<u>L8</u>
<u>L7</u>	15 and L6	2	<u>L7</u>
<u>L6</u>	L1 with (processor or node)	84	<u>L6</u>
<u>L5</u>	12 same L4	6876	<u>L5</u>
<u>L4</u>	processors or nodes	312072	<u>L4</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L3</u>	11 same L2	3	<u>L3</u>
<u>L2</u>	(shared or common) near1 (memory or storage)	31880	<u>L2</u>
<u>L1</u>	(routing ot directing ot re-routing or rerouting or redirecting or re-directing) near5 request	867	<u>L1</u>

END OF SEARCH HISTORY